

PRODUCT-DETAILS

# SOR-C XT2-XT4 W 110-127Vac-110-125Vdc

## SOR-C XT2-XT4 W 110-127Vac-110-125Vdc



### General Information

Extended Product Type	SOR-C XT2-XT4 W 110-127Vac-110-125Vdc
Product ID	1SDA066331R1
EAN	8015644002381
Catalog Description	SOR-C XT2-XT4 W 110-127Vac-110-125Vdc
Long Description	SHUNT OPENING RELEASE WIRED 110-127V AC-110-125V DC FOR WITHDRAWABLE XT2-XT4

### Ordering

E-Number (Finland)	3638710
EAN	8015644002381
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

### Dimensions

Product Net Width	110 mm
Product Net Height	60 mm
Product Net Depth / Length	140 mm
Product Net Weight	0.12 kg

---

**Container Information**


---

Package Level 1 Units	1 piece
Package Level 1 Width	110 mm
Package Level 1 Height	60 mm
Package Level 1 Depth / Length	140 mm
Package Level 1 Gross Weight	0.123 kg
Package Level 1 EAN	8015644002381

---



---

**Environmental**


---

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

---



---

**Additional Information**


---

Configuration Type	Loose or configurable
Current Type	AC/DC
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	ACC
Rated Voltage (U <sub>r</sub> )	110 ... 127 V AC 110 ... 125 V DC
Standards	IEC 60947-2
Suitable For	XT2, XT4
Suitable for Product Class	SACE Tmax XT

---



---

**Certificates and Declarations (Document Number)**


---

Data Sheet, Technical Information	1SDC210100D0205 1SDC210099D0205
Declaration of Conformity - CE	9AKK106713A5901
Instructions and Manuals	1SDH000721R0501
RoHS Information	LB-DT 17-21D

---



---

**Classifications**


---

ETIM 6	EC002483 - Switch spool for power circuit breaker
ETIM 7	EC002483 - Switch spool for power circuit breaker
Object Classification Code	Q
UNSPSC	39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---



---

**Categories**


---

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

